

How Biochar Works in Soil

By Kelpie Wilson

Please cite as:

Wilson K: *How Biochar Works in Soil*, the Biochar Journal 2014, Arbaz, Switzerland.

ISSN 2297-1114, www.biochar-journal.org/en/ct/32, Version of 31th October 2014

Accessed: 01.11.2014

List of References

- Brewer, C.E., Chuang, V.J., Masiello, C.A., Gonnermann, H., Gao, X., Dugan, B., Driver, L.E., Panzacchi, P., Zygourakis, K., Davies, C.A. (2014). New approaches to measuring biochar density and porosity. *Biomass Bioenergy* 66, 176-185
- Chen, B., Chen, Z. (2009). Sorption of naphthalene and 1-naphthol by biochars of orange peels with different pyrolytic temperatures. *Chemosphere* 76, 127-133.
- Chen, S., Rotaru, A. E., Shrestha, P. M., Malvankar, N. S., & Liu, F. (2014). Promoting Interspecies Electron Transfer with Biochar
- Chen, Y.-X., Huang, X.-D., Han, Z.-Y., Huang, X., Hu, B., Shi, D.-Z., & Wu, W.-X. (2010). Effects of bamboo charcoal and bamboo vinegar on nitrogen conservation and heavy metals immobility during pig manure composting. *Chemosphere*, 78(9), 1177–1181.
doi:10.1016/j.chemosphere.2009.12.029
- Clough, T. J., Condron, L. M., Kammann, C., & Müller, C. (2013). A Review of Biochar and Soil Nitrogen Dynamics. *Agronomy*, 3(2), 275–293. doi:10.3390/agronomy3020275
- Downie, A., Crosky, A., & Munroe, P. (2009). Physical properties of biochar. *Biochar for environmental management*. London: Earthscan, 13-32.
- EBC (2012). “European Biochar Certificate - Guidelines for a Sustainable Production of Biochar.” European Biochar Foundation. Arbaz: European Biochar Foundation (EBC).
<http://www.european-biochar.org/biochar/media/doc/ebc-guidelines.pdf>.
- Fischer, D., & Glaser, B. (2012). Synergisms between compost and biochar for sustainable soil amelioration. *Management of Organic Waste*. Sunil, K. & Bharti, a.(Eds.), InTech, 167–198

- Fischer, D., & Glaser, B. (2012). Synergisms between compost and biochar for sustainable soil amelioration. Management of Organic Waste. Sunil, K. & Bharti, A.(Eds.), InTech, 167–198.
- Fortey, Richard (1999). Life: A Natural History of the First Four Billion Years of Life on Earth. Knopf. New York.
- Glaser, B., Amelung, W. (2003). Pyrogenic carbon in native grassland soils along a climosequence in North America. Global Biogeochem. Cycles 17.
- Goldberg, E.D. (1985). Black Carbon in the Environment: Properties and Distribution. John Wiley & Sons Inc, New York.
- Hale, S. E., Lehmann, J., Rutherford, D., Zimmerman, A. R., Bachmann, R. T., Shitumbanuma, V., et al. (2012). Quantifying the Total and Bioavailable Polycyclic Aromatic Hydrocarbons and Dioxins in Biochars. Environmental Science & Technology, 46(5), 2830–2838. doi:10.1021/es203984k
- Hayes, M. H. B. (2013). Relationships Between Biochar and Soil Humic Substances. In Functions of Natural Organic Matter in Changing Environment (pp. 959-963). Springer Netherlands.
- Hilber, I., Blum, F., Leifeld, J., Schmidt, H.-P., & Bucheli, T. D. (2012). Quantitative Determination of PAHs in Biochar: A Prerequisite To Ensure Its Quality and Safe Application. *J. Agric. Food Chem.*, 60(12), 3042–3050. doi:10.1021/jf205278v
- Hua, L., Wu, W., Liu, Y., McBride, M. B., & Chen, Y. (2009). Reduction of nitrogen loss and Cu and Zn mobility during sludge composting with bamboo charcoal amendment. Environmental Science and Pollution Research, 16(1), 1–9.
- Huang, X. D., & Xue, D. (2014). Effects of bamboo biochar addition on temperature rising, dehydration and nitrogen loss during pig manure composting. The Journal of Applied Ecology, 25(4), 1057–1062.
- IBI (2013). “Standardized Product Definition and Product Testing Guidelines for Biochar That Is Used in Soil (i.e. IBI Biochar Standards).” <http://www.biochar-international.org/characterizationstandard>.
- Jindo, K., Suto, K., Matsumoto, K., García, C., Sonoki, T., & Sánchez-Monedero, M. Á. (2012). Chemical and biochemical characterisation of biochar-blended composts prepared from poultry manure. Bioresource Technology, 110, 396–404. doi:10.1016/j.biortech.2012.01.120
- Kappler, A., Wuestner, M. L., Ruecker, A., Harter, J., Halama, M., & Behrens, S. (2014). Biochar as an Electron Shuttle between Bacteria and Fe(III) Minerals. Environmental Science & Technology Letters, 1(8), 339–344. doi:10.1021/ez5002209
- Keiluweit, M., Nico, P.S., Johnson, M.G., Kleber, M (2010). Dynamic molecular structure of plant biomass-derived black carbon (biochar). Environ. Sci. Technol. 44, 1247-1253.

- Klüpfel, L., Keiluweit, M., Kleber, M., & Sander, M. (2014). Redox Properties of Plant Biomass-Derived Black Carbon (Biochar). *Environmental Science & Technology*, 48(10), 140505153602003. doi:10.1021/es500906d
- Lal, R. (2010). Depletion and Restoration of Carbon in the Pedosphere. *Pedologist*, 19(32), 19–32.
- Liang, B., Lehmann, J., Sohi, S. P., Thies, J. E., O'Neill, B., Trujillo, L., et al. (2010). Black carbon affects the cycling of non-black carbon in soil. *Organic Geochemistry*, 41(2), 206–213.
- Liu, J., Schulz, H., Brandl, S., Miehtke, H., Huwe, B., & Glaser, B. (2012). Short-term effect of biochar and compost on soil fertility and water status of a Dystric Cambisol in NE Germany under field conditions. *Journal of Plant Nutrition and Soil Science*, 175(5), 698–707. doi:10.1002/jpln.201100172
- Lovley, D.R., Coates, J.D., Blunt-Harris, E.L., Phillips, E.J., Woodward, J.C. (1996). Humic substances as electron acceptors for microbial respiration. *Nature* 382, 445-448.
- Mao, J. D., Johnson, R. L., Lehmann, J., Olk, D. C., Neves, E. G., Thompson, M. L., & Schmidt-Rohr, K. (2012). Abundant and Stable Char Residues in Soils: Implications for Soil Fertility and Carbon Sequestration. *Environmental Science & Technology*, 46(17), 9571–9576. doi:10.1021/es301107c
- Old, S.M. (1969). Microclimate, fire, and plant production in an Illinois prairie. *Ecol. Monogr.*, 355-384.
- Schulz, H., Dunst, G., & Glaser, B. (2013). Positive effects of composted biochar on plant growth and soil fertility. *Agronomy for Sustainable Development*. doi:10.1007/s13593-013-0150-0
- Skjemstad, J.O., Reicosky, D.C., Wilts, A.R., McGowan, J.A. (2002). Charcoal Carbon in U.S. Agricultural Soils. *Soil Sci. Soc. Am. J.* 66, 1249-1255.
- Steiner, C., Das, K. C., Melear, N., & Lakly, D. (2010). Reducing Nitrogen Loss during Poultry Litter Composting Using Biochar. *Journal of Environmental Quality*, 39, 1–7. doi:10.2134/jeq2009.0337
- Steiner, C., Glaser, B., Teixeira, W. G., Lehmann, J., Blum, W. E. H., & Zech, W. (2008). Nitrogen Retention and Plant Uptake on a Highly Weathered Central Amazonian Ferralsol Amended with Compost and Charcoal. *Journal of Plant Nutrition and Soil Science*, 171, 893–899.
- Steiner, C., Melear, N., Harris, K., & Das, K. C. (2011). Biochar as bulking agent for poultry litter composting. *Carbon Management*, 2(3), 227–230. doi:10.4155/cmt.11.15
- Zhang, J., Lü, F., Shao, L., & He, P. (2014). The use of biochar-amended composting to improve the humification and degradation of sewage sludge. *Bioresource Technology*, 1–7. doi:10.1016/j.biortech.2014.02.080